Dreve Otoplastik **Earmold portfolio No. 26**

## 75 years of innovation: tradition meets future.

**Our history**

After the Second World War, my parents, Wolfgang and Inge Dreve, established their dental laboratory in the centre of Unna. My father invented and distributed successfully the first products, thanks to his creative mindset. We were also among the pioneers to manufacture individual acrylic earmolds, which were produced in Unna in 1955 for the first time. Our silicone-based ear impression materials developed by ourselves, were key for advancing the field of audiology and gained international recognition in the acoustic branch. Later, in order to facilitate the application in the industry, we introduced the innovative double piston impression syringes as well as the popular double cartridges for 1:1 silicones.

We are proud to have played a role in the development of light-curing resins, which are used in a number of applications, including the manufacturing of shells for in-the-ear hearing aids. In addition, we manufacture light-curing devices and a comprehensive range of laboratory equipment in Unna. The utilization of 3D printing technology has been a core aspect of Dreve's operations since 2003, as the company is among the market leaders today.

With more than 400 employees at our sites in Unna (GER) and Minneapolis (USA), we are well-prepared for future growth. Our product range, which includes silicones, resins, and laboratory equipment, is manufactured in Unna. We are the market leader in Europe for many of our products. Our in-house earmold laboratory, which has been modernized extensively during the Corona period, is one of the largest independent laboratories of its kind in the world.

My Wife Gabi and I me are the second generation to run the business. We are pleased to have already integrated the third generation of the family with our daughter Victoria Dreve, which paves the future of our MDR-certified family business.
Our motto: **"Innovation aus Tradition".**

**Our vision**
Despite ups and downs, our company has been successfully evolving under the guidance of the family. In current times of digitalization and artificial intelligence, which have also influenced our production and products, it is of highest importance for us to maintain a personal and trustworthy relationship with our customers. We are consistently available to address any concerns or queries you may have, and we encourage you to contact us anytime.

**Very truly yours**

**Dr. Volker Dreve**

## Red logo, green ideas

It continuously influences the optimization and development of our technologies, processes, packaging and innovations.

**Changes already implemented in the lab:**

- Plastic waste reduction:
  - Eliminated plastic tags
  - Replacing plastic packaging with more recyclable paper packaging
- Logistics partner: DHL Go Green
- Renewable energy:
  - Energy needs of our lab are covered by solar power
  - Charging stations for electric vehicles for employees, customers and clients

---

## Certified quality as a matter of course

The certifications of our laboratory and earmolds are not only an expression of our commitment to quality, but also a guarantee for you to receive products that meet the highest standards. Our commitment to quality and certification is reflected in every step of our manufacturing process to ensure that we provide you with a service you can rely on.

---

## Dreve receives the "ecovadis" sustainability award

We have successfully completed the EcoVadis rating and are delighted to have received the Commitment Badge. This award confirms our ongoing commitment to sustainability, responsibility and transparency in all areas of our business.

3 **About us**
4 **Sustainability**
6 **The Dreve Laboratory**
8 **Workflow & SmartOrder**

**Hearing – Earmolds for hearing aid systems**

11 Biocompatible materials
12 RIC | earmolds for hearing aid systems with receiver in canal
16 RIC unifit
17 RIC Power supply
18 Earmolds for micro tubing systems
21 Earmolds for hearing aid systems with standard tubing
23 EARsleeve
24 T-Mic and CI/CROS
26 Colors
27 Extras | Finishing | Accessories

**Protection & Comfort earmolds**

31 Certified protection & Individual comfort
32 DLO® Industry
34 DLO® Industry detectable
36 DLO® Music
38 DLO® SkyComfort
40 DLO® MotorBike
42 DLO® Shotkiller Pro / DLO® Shotkiller Stop
44 DLO® Active
46 DLO® Attenuation values
48 DCO® OtoSwim®
50 DCO® OtoSwim® Sport
52 DCO® ComfortNight
54 DCO® SoundStyle earmolds
56 Extras | Finishing | Accessories

59 **Acoustic Leakage Tester**
60 **Packaging**
61 **Marketing tools**

# The Dreve Laboratory

## Our innovative strength

Although we have developed into an industrial company supplying all the major hearing aid manufacturers, the earmold laboratory is still the core of Dreve.

It is also where our innovative strength lies: New materials and products can be put through their paces directly in our own laboratory.

With passion: Team leader of earmold office Heike Gubala and the head of earmold laboratory Axel Kohlmann

## Our passion | The earmold

The earmold plays an essential role in the connection between the human ear and a hearing aid. Often underestimated, it is a remarkable work of precision that aims to achieve optimal hearing aid fitting with maximum comfort and fit. For this reason, it is a central component of hearing aid fitting process. The Dreve earmold is custom made with the highest quality standards.

## Our earmold portfolio

In this catalog we present the complete range of Dreve earmolds and lab services. Whether it's Hearing earmolds for hearing aid systems or Protection & Comfort earmolds for various noise and everyday situations, our portfolio offers a variety of styles, materials and colors, manufactured using different automated production processes. Aesthetics and wearing comfort are our top priorities.

## Workflow

We rely on state-of-the-art manufacturing processes: With the help of automated, digital processes our earmolds are produced, for example, by 3D printing or by means of precise milling processes.

3D manufacturing process

SmartOrder



## Order earmolds online

Ordering earmolds has never been so easy: The intuitive and fast entry of your orders online saves valuable time while providing transparency.

- Smart features
- Advanced filter and search functions in the archive
- Collective orders for hearing protection
- Uncomplicated complaint processing
- Connection to the software tools of the acoustics industry
- Order copy function
- Tracking and status function
- Recording and archiving of PPE functional tests
- Regular updates
- 24/7

**Your personal access data to the online ordering portal you will receive here:**

vertrieb.otoplastik@dreve.de

+49 2303 8807-30

smartorder.dreve.de

# Hearing

## Earmolds for hearing aid systems

The acceptance of a hearing aid system depends to a large extent on precise manufacturing and the selection of a suitable material. In addition to the acoustic requirements, the condition of the ear tissue and the client's subjective perception play an important role in choosing the right material. In order to offer you maximum choice, we present three different materials for individual fitting in the following.

## Biocompatible materials

**Hard, flexible or soft**

Earmolds serve as a link between the human ear and hearing aid technology. With our special functional materials, such as Biopor® AB, FotoTec® and VarioTherm® Plus, which are manufactured in Unna, we can easily meet even the highest demands.

---



### Hard / FotoTec®

Our premium material FotoTec® is a light-curing resin specially designed for the production of high-quality, hard earmolds. Thanks to automated production processes, we achieve consistently high quality, unique color brilliance and very high fitting accuracy.

### Flexible / VarioTherm® Plus

The material impresses with its unique tear resistance combined with high flexibility. It is supple and soft at body temperature, but firm at room temperature: For a very natural feel, especially with sensitive skin. VarioTherm® Plus is particularly recommended for demanding designs, e.g. thin-walled RIC earmolds.



### Soft / Biopor® AB

Biopor® AB is a biocompatible, addition-vulcanizing silicone developed by us and used specifically for the manufacturing of soft earmolds. Our earmolds are characterized by their exceptional tear resistance and permanent elasticity, which contributes to their durability and dimensional stability. For maximum comfort and a pleasant wearing experience.

## RIC | Earmolds for hearing systems with receiver in canal

More than 15 years ago, a success story began in the field of external hearing systems, which represented a revolution in hearing aid fitting and today account for the majority of all fittings. During this time, we have worked intensively on the further development of RIC earmolds and offer customized solutions in various designs and materials. This allows us to meet different anatomical, cosmetic and individual requirements and create a connection between the human ear and the hearing system.

Our RIC earmolds enable an ideal positioning of the receiver in the ear canal while providing protection against accidental loss of the valuable hearing systems.

---

Did you know?

*Our RIC earmolds made of VarioTherm® Plus are available in matte finish.*

*You can find all designs at smartorder.dreve.de*

---

**Style 64** / RIC foil design, canal style, without lock

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 60 Shore A |

---

**Style 68** / RIC foil design, canal style, with lock

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 60 Shore A |

---



**Style 641** / RIC-Air foil design, canal style, without lock

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |



**Style 681** / RIC-Air foil design, canal style, with lock

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 20/64** / RIC foil design, skeleton

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 60 Shore A

---

**Style 22/64** / RIC foil design, semi-skeleton

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 60 Shore A

---

**Style 27/64** / RIC foil design, canal with helix lock

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 28/64** / RIC foil design, full shell carved

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 20/641** / RIC-Air foil design, skeleton

FotoTec®
VarioTherm® Plus 70 Shore A

*Colors and extras see pp. 26–29*

**Style 22/641** / RIC-Air foil design, semi-skeleton

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 27/641** / RIC-Air foil design, canal with helix lock

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 28/641** / RIC-Air foil design, full shell carved

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 42** / RIC canal style, compact, without lock

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 40/60 Shore A

---

**Style 48** / RIC canal style, compact, with lock

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 40/60 Shore A

---

**Style 46** / RIC canal style, recessed tragus
(except for Biopor® AB), without lock

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 40/60 Shore A

**Style 44** / RIC canal style, recessed tragus (except for Biopor® AB), with lock

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 40/60 Shore A

---

**Style 20/46** / RIC skeleton, compact

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 40/60 Shore A

---

**Style 22/46** / RIC semi-skeleton, compact

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 60 Shore A

---

**Style 27/46** / RIC canal with helix lock, compact

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 28/46** / RIC full shell caved, compact

FotoTec®
VarioTherm® Plus 70 Shore A

---

*Colors and extras see pp. 26–29*

## RIC unifit | More flexibility

The universal earmold for different RIC hearing systems ensures you greater flexibility in fitting hearing aid systems. RIC unifit is compatible with many RIC hearing systems on the market and can be easily modified. You can find all matching receiver at smartorder.dreve.de

**Style 49** / RIC unifit, canal style

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40 Shore A |

**Style 491** / RIC unifit, canal style with lock

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40 Shore A |

*RIC unifit tutorial*



*Colors and extras see p. 26–29*

# RIC Power supply

*Front view on power supply style 29/57*

**Style 24/57** / RIC power mold incl. faceplate, with lock

FotoTec®
VarioTherm® Plus 50/70 Shore A



**Style 29/57** / RIC power mold incl. faceplate, without lock

FotoTec®
VarioTherm® Plus 50/70 Shore A

*Only for special receiver:*
- *Oticon-mini-P*
- *Bernafon nanorite P*

*Colors and extras see pp. 26–29*

## Earmolds for micro tubing systems

Fittings with micro-tube hearing aid systems enable a cosmetically appealing solution for almost all auditory canals. Customers who receive their first hearing aid or with minor hearing losses show very often a high level of acceptance for these kind of hearing systems.

**Style 38** / Micro Tube, canal style without lock

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 40/60 Shore A

**Style 34** / Micro Tube, canal style with lock

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 40/60 Shore A

**Style 33** / Micro Tube-Air, canal style without lock

FotoTec®
VarioTherm® Plus 70 Shore A

**Style 331** / Micro Tube-Air, canal style with lock

FotoTec®
VarioTherm® Plus 70 Shore A

**Style 345** / Micro Tube, slim-tip, canal style with lock

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 40/60 Shore A

**Style 385** / Micro Tube, slim-tip, canal style without lock

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 40/60 Shore A

---

**Style 20/38** / Micro Tube, skeleton

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 40/60 Shore A

---

**Style 22/38** / Micro Tube, semi-skeleton

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 60 Shore A

---

**Style 27/38** / Micro Tube, canal with helix lock

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 28/38** / Micro Tube, full shell caved

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 20/33** / Micro Tube-Air, skeleton

FotoTec®
VarioTherm® Plus 70 Shore A

*Colors and extras see pp. 26–29*



**Style 22/33** / Micro Tube-Air, semi-skeleton

FotoTec®
VarioTherm® Plus 70 Shore A

---



**Style 27/33** / Micro Tube-Air, canal with helix lock

FotoTec®
VarioTherm® Plus 70 Shore A

---



**Style 28/33** / Micro Tube-Air, full shell caved

FotoTec®
VarioTherm® Plus 70 Shore A

---



*Colors and extras see pp. 26–29*

## Earmolds for hearing aid systems with standard tubing

The standard tubing hearing aid (SE) is classic in the industry. It combines the advantages of an easy handling with innovative technologies. The earmold is an important part of these hearing aids and offers the possibility to fix the hearing tube. Standard tubing hearing systems are recommended for high hearing losses.

**Style 10** / SE full shell for pocket aid

FotoTec®

**Style 20** / SE skeleton

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 50/70 Shore A |
| Biopor® AB | 25/40/60 Shore A |

**Style 21** / SE full shell

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40/60 Shore A |

**Style 22** / SE semi-skeleton

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 60 Shore A |

**Style 24** / SE canal with lock

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 50/70 Shore A |
| Biopor® AB | 25/40/60 Shore A |

*Colors and extras see pp. 26–29*

**Style 25** / SE full shell carved

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 25/40/60 Shore A

---

**Style 27** / SE canal helix lock

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 28** / SE full shell caved

FotoTec®
VarioTherm® Plus 70 Shore A

---

**Style 29** / SE canal style

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 25/40/60 Shore A

---

**Style 30** / SE half shell

FotoTec®
VarioTherm® Plus 50/70 Shore A
Biopor® AB 25/40/60 Shore A

---

**Style 40** / SE full shell, foil design

Biopor® AB 60 Shore A



*Colors and extras see pp. 26–29*

## EARsleeve | Earmolds for ITC hearing systems

Almost invisible ITE hearing systems designed as cool earbuds are absolutely trendy. They are modern hearing aids and multimedia systems combined in one.
To ensure a perfect fit and the ultimate hearing experience, we manufacture for the universal ITE hearing systems: The individual Dreve EARsleeve.

**Style 581** / Signia, ITC cut out on both sides, short style

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40/60 Shore A |



**Style 582** / Signia, ITC cut out on both sides, long style

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40/60 Shore A |

**Style 581** / Audio Service, ITC cut out on both sides, short style

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40/60 Shore A |

**Style 582** / Audio Service, ITC cut out on both sides, long style

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 40/60 Shore A |

*Find all styles on smartorder.dreve.de*

*Colors and extras see pp. 26–29*

# Earmolds for T-Mic and CI/CROS solutions

**Style 35** / SE CROS tube holder

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 60 Shore A |

**Style 20** / T-Mic, skeleton, open auditory canal

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 60 Shore A |

**Style 20** / T-Mic, skeleton, closed auditory canal

| | |
|---|---|
| FotoTec® | |
| VarioTherm® Plus | 70 Shore A |
| Biopor® AB | 60 Shore A |





*Colors and extras see pp. 26–29*

# CI mount with tube on crus of helix

**Style 20** / CI mount with tube on crus of helix, skeleton, open auditory canal

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 60 Shore A

**Style 20** / CI mount with tube on crus of helix, skeleton, closed auditory canal

FotoTec®
VarioTherm® Plus 70 Shore A
Biopor® AB 60 Shore A

*Colors and extras see pp. 26–29*

| Colors | Description | FotoTec® | VarioTherm® Plus | Biopor® AB 25 Shore A | Biopor® AB 40 Shore A | Biopor® AB 60 Shore A |
|---|---|---|---|---|---|---|
| | **Standardfarben** | | | | | |
| | clear transparent | • | • | • | • | • |
| | reddish transparent | • | • | • | • | • |
| | **Special colors** | | | | | |
| | red transparent | • | | • | • | |
| | blue transparent | • | | • | • | • |
| | dark blue transparent | • | | | | |
| | yellow transparent | | | • | | |
| | neon yellow transparent | • | | | | |
| | orange transparent | • | | | | |
| | green transparent | | | • | | |
| | emerald green transparent | | | | • | |
| | purple transparent | • | | | • | |
| | pink transparent | | | | • | |
| | light brown transparent | | | | • | • |
| | medium brown transparent | | | | • | • |
| | dark browm transparent | | | | • | |
| | red opaque | | | • | • | • |
| | blue opaque | | | • | • | • |
| | yellow opaque | | | • | • | • |
| | white opaque | • | | • | • | • |
| | orange opaque | | | • | • | • |
| | green opaque | • | | | • | • |
| | black opaque | • | | | • | • |
| | beige opaque | | | | • | • |
| | purple opaque | | | | • | • |
| | pink opaque | | | | • | |
| | neon yellow opaque | | | | • | |
| | neon green opaque | | | | • | |
| | neon pink opaque | | | | • | |
| | neon orange opaque | | | | • | |
| | fuchsia magenta opaque | | | | | • |
| | azure blue opaque | | | | | • |
| | turquoise metallic | | | | • | |
| | silver metallic | | | | • | |
| | blue metallic | | | | • | |
| | red metallic | | | | • | |
| | magenta metallic | | | | • | |
| | black metallic | | | | • | |
| | champagne metallic | | | | • | |
| | silver transparent metallic | | | | • | |
| | smoky grey metallic | | | | • | |

# Extras | Finishing | Accessories

| | |
|---|---|
| Category | Sound tube |
| Description | **Hook with tube – 2.0 x 3.0 mm**<br>**Oticon hook, clear, with tube – 2.0 x 3.0 mm**<br>**Oticon hook, dull, with tube – 2.0 x 3.0 mm** |
| Available in | FotoTec® / VarioTherm® Plus* |
| Suitable for | SE |

| | |
|---|---|
| Category | Sound tube |
| Description | **Glued in tubing – 2.0 x 3.0 mm**<br>**Glued in tubing, thick – 2.0 x 4.0 mm**<br>**Glued in tubing, stay-dry – 2.0 x 3.0 mm**<br>**Children's tube 1.5 x 2.5 mm** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | SE |

| | |
|---|---|
| Category | Sound tube |
| Description | **Tubing with anchor – 2.0 x 3.0 mm**<br>**Tubing stay-dry with anchor** |
| Available in | Biopor® AB |
| Suitable for | SE |

| | |
|---|---|
| Category | Ventilation |
| Description | **Venting** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | RIC, MS, SE |

| | |
|---|---|
| Category | Ventilation |
| Description | **Open canal** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | RIC, MS, SE |

| | |
|---|---|
| Category | Ventilation |
| Description | **PowerVent** |
| Available in | FotoTec® |
| Suitable for | SE |

**Only "Hook with tube – 2.0 x 3.0 mm"*

# Extras | Finishing | Accessories

| | |
|---|---|
| Category | Surface |
| Description | **Standard lacquering** |
| Available in | FotoTec® / VarioTherm® Plus* / Biopor® AB |
| Suitable for | RIC, MS, SE |



| | |
|---|---|
| Category | Surface |
| Description | **Standard lacquering, visible surface matted** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | RIC, MS, SE |

| | |
|---|---|
| Category | Surface |
| Description | **Silk matt** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | RIC, MS, SE |

| | |
|---|---|
| Category | Surface |
| Description | **Premium lacquering NanoScreen™ Lack** |
| Available in | FotoTec® |
| Suitable for | RIC, MS, SE |

| | |
|---|---|
| Category | Surface |
| Description | **Premium lacquering NanoScreen™ Soft Lack** |
| Available in | Biopor® AB |
| Suitable for | RIC, MS, SE |



| | |
|---|---|
| Category | Surface |
| Description | **Premium lacquering SoftTouch Lack** |
| Available in | FotoTec® |
| Suitable for | RIC, MS, SE |



**except RIC*

| Category | Features & Options |
|---|---|
| Description | **Right-left marking** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | RIC, MS, SE |

| Category | Features & Options |
|---|---|
| Description | **Individual engraving** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | RIC, MS, SE |



| Category | Features & Options |
|---|---|
| Description | **Nylon thread** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | RIC, MS, SE |

| Category | Features & Options |
|---|---|
| Description | **Contour** |
| Available in | FotoTec® / VarioTherm® Plus / Biopor® AB |
| Suitable for | SE |

| Category | Features & Options |
|---|---|
| Description | **Hollow canal** |
| Available in | FotoTec® / VarioTherm® Plus |
| Suitable for | MS, SE |

*Our premium SoftTouch finish offers:*
*Secure fit in the ear, high wearing comfort due to anti-slip effect and pleasantly soft haptic.*

*RIC – Receiver in Canal / MS – Micro tubing / SE – Secret Ear (Standard tubing)*

# Protection & Comfort

## Protection & Comfort earmolds

The human ear has an enormous capability. However, it is exposed to high noise levels in everyday life. Therefore Dreve provides professional and high quality protective products.

Whether at work, in the industry or for professional musicians, for swimming, sleeping or for travelling: Dreve Protection & Comfort offers individual protection with different filter systems designed for various applications.

---

## Which material for which purpose

**Silicone**

For maximum comfort and a pleasant wearing experience, we recommend the use of our biocompatible quality material Biopor® AB. The earmolds are characterized by their exceptional tear resistance and permanent elasticity, making them very durable and dimensionally stable.

**Acrylic**

For a perfect fit and highest accuracy, we recommend acrylic earmolds made of our our 3D printing material FotoTec®. The robust earmolds convince by their unique color brilliance and durability.

*DLO® Industry*

*DLO® Music*

*DLO® SkyComfort*

*DLO® MotorBike*

*DLO® Shotkiller Pro*
*DLO® Shotkiller Stop*

*DLO® Active*

*DCO® OtoSwim®*
*DCO® OtoSwim® Sport*

*DCO® ComfortNight*

*DCO® SoundStyle*

## Certified protection | DLO®
## (Dreve hearing protection earmold)

Dreve hearing protection earmolds DLO® are certified and type approved as Personal Protective Equipment (PPE) according to PPE Regulation (EU) 2016/425 and meet the official requirements for industrial applications. Manufacturing takes place at our laboratory which is certified according to ISO 9001, ISO 13485 and directive 93/42/EEC.

- DLO® Industry – for industrial applications
- DLO® Music – for music fans
- DLO® SkyComfort – during flights
- DLO® MotorBike – for motorcycling
- DLO® Shotkiller Pro – for impulse sounds
- DLO® Shotkiller Stop – for continuous noise
- DLO® Active – for hunters and sport shooters

---

## Individual comfort | DCO®
## (Dreve Comfort Earmold)

Our hearing is exposed to daily noise not only at work, but also during our free time. We offer suitable earmolds, which provide effective protection with maximum comfort. Our range within the DCO® line includes:

- DCO® OtoSwim® – splash water protection for kids and adults
- DCO® OtoSwim® Sport – splash water protection for sport shooters
- DCO® ComfortNight – for a silent and relaxing sleep
- DCO® SoundStyle – for individually customized headphone earmolds

## DLO® Industry

**Customized hearing protection for industrial applications**

As a supplier of PPE, we are certified and offer customized hearing protection for the industry and handcraft. Our professional filter systems have a non-linear attenuation which allows the attenuation of specific frequencies.

| | |
|---|---|
| Material | **Silicone** |
| Available styles | 19 / Concha style with handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | DI filter red<br>DI filter yellow |

| | |
|---|---|
| Material | **Acrylic** |
| Available styles | 19 / Concha style with handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | DI filter red<br>DI filter yellow |

| Colors | Description | FotoTec® | Biopor® AB 40 Shore A |
|---|---|---|---|
| | **Standard colors** | | |
| | clear transparent | • | • |
| | reddish transparent | • | • |
| | **Special colors** | | |
| | red transparent | • | • |
| | blue transparent | • | • |
| | dark blue transparent | • | |
| | neon yellow transparent | • | |
| | orange transparent | • | |
| | emerald green transparent | | • |
| | purple transparent | • | • |
| | pink transparent | | • |
| | light brown transparent | | • |
| | medium brown transparent | | • |
| | dark brown transparent | | • |
| | red opaque | | • |
| | blue opaque | | • |
| | yellow opaque | | • |
| | white opaque | • | • |
| | orange opaque | | • |
| | green opaque | • | • |
| | black opaque | • | • |
| | beige opaque | | • |
| | purple opaque | | • |
| | pink opaque | | • |
| | neon yellow opaque | | • |
| | neon green opaque | | • |
| | neon pink opaque | | • |
| | neon orange opaque | | • |
| | turquoise metallic | | • |
| | silver metallic | | • |
| | blue metallic | | • |
| | red metallic | | • |
| | magenta metallic | | • |
| | black metallic | | • |
| | champagne metallic | | • |
| | silver transparent metallic | | • |
| | smoky grey metallic | | • |

*Accessories see pp. 56–58 and attenuation values see pp. 46–47*

## DLO® Industry detectable

**Detectable hearing protection for the food industry**

The innovative material Biopor® AB Xtrack for hearing protection earmolds offers the possibility of detection, X-ray recognition and is certified as PPE.

| | |
|---|---|
| Material | **Silicone detectable** |
| Available styles | 19 / Concha style with handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | DI filter red, detectable |

| Color | Description | Biopor® AB Xtrack 40 Shore A |
|---|---|---|
| | Special color | |
| | blau-Xtrack | • |

*Accessories see pp. 56–58 and attenuation values see pp. 46–47*

## DLO® Music

**Customized hearing protection for music fans**

Certified as PPE we offer customized hearing protection for musicians and music fans. Our DLO® with DM filters stand for a linear attenuation and provide a tuned flat attenuation response through all frequencies. The filters reduce the volume while they keep the natural sound quality and furthermore achieve a good speech intelligibility.

| | |
|---|---|
| Material | **Silicone** |
| Available styles | 19 / Concha style with handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | DM filter black<br>DM filter white<br>DM filter blue<br>DM filter green (no PPE*) |

| | |
|---|---|
| Material | **Acrylic** |
| Available styles | 19 / Concha style with handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | DM filter black<br>DM filter white<br>DM filter blue<br>DM filter green (no PPE*) |



**according to Regulation (EU) 2016/425*

| Colors | Description | FotoTec® | Biopor® AB 40 Shore A |
|---|---|---|---|
| | **Standard colors** | | |
| | clear transparent | • | • |
| | reddish transparent | • | • |
| | **Special colors** | | |
| | red transparent | • | • |
| | blue transparent | • | • |
| | dark blue transparent | • | |
| | neon yellow transparent | • | |
| | orange transparent | • | |
| | emerald green transparent | | • |
| | purple transparent | • | • |
| | pink transparent | | • |
| | light brown transparent | | • |
| | medium brown transparent | | • |
| | dark brown transparent | | • |
| | red opaque | | • |
| | blue opaque | | • |
| | yellow opaque | | • |
| | white opaque | • | • |
| | orange opaque | | • |
| | green opaque | • | • |
| | black opaque | • | • |
| | beige opaque | | • |
| | purple opaque | | • |
| | pink opaque | | • |
| | neon yellow opaque | | • |
| | neon green opaque | | • |
| | neon pink opaque | | • |
| | neon orange opaque | | • |
| | turquoise metallic | | • |
| | silver metallic | | • |
| | blue metallic | | • |
| | red metallic | | • |
| | magenta metallic | | • |
| | black metallic | | • |
| | champagne metallic | | • |
| | silver transparent metallic | | • |
| | smoky grey metallic | | • |

*Accessories see pp. 56–58 and attenuation values see pp. 46–47*

## DLO® SkyComfort

**First Class for ears: Customized hearing protection during flights.**

Boarding completed: The personal hearing protection with a special pressure-balancing filter reduces disturbing noises on the plane like turbine or engine sounds and supports actively the pressure compensation of the ears. Ideal for frequent travelers and people who want to have a most comfortable flight. SkyComfort is certified as PPE.

| | |
|---|---|
| Material | **Silicone** |
| Available styles | 19 / Concha style with handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | SANOHRA Fly filter |

| Color | Description | Biopor® AB<br>40 Shore A |
|---|---|---|
| | Special color | |
| | blue transparent | • |

## DLO® MotorBike

**Born to ride: Customized hearing protection for motorcycling**

Safe and comfortable: The individual fit achieves maximum wearing comfort. Wearing the earmolds under the helmet for a long time does not even cause any pressure pain. The earmolds fit securely and, thanks to the mini filters, they are also unobtrusive in the ear. Engine noise is attenuated linearly across the entire frequency range without distorting the sound.

| | |
|---|---|
| Material | **Silicone** |
| Available styles | 19 / Concha style with handle<br>25 / Concha style without handle<br>31 / Canal style with handle<br>32 / Canal style |
| Available filters | DM filter white |

| | |
|---|---|
| Material | **Acrylic** |
| Available styles | 25 / Concha style without handle<br>32 / Canal style |
| Available filters | DM filter white |

| Colors | Description | FotoTec® | Biopor® AB 40 Shore A |
|---|---|---|---|
| | **Standard colors** | | |
| | clear transparent | • | • |
| | reddish transparent | • | • |
| | **Special colors** | | |
| | red transparent | • | • |
| | blue transparent | • | • |
| | dark blue transparent | • | |
| | neon yellow transparent | • | |
| | orange transparent | • | |
| | emerald green transparent | | • |
| | purple transparent | • | • |
| | pink transparent | | • |
| | light brown transparent | | • |
| | medium brown transparent | | • |
| | dark brown transparent | | • |
| | red opaque | | • |
| | blue opaque | | • |
| | yellow opaque | | • |
| | white opaque | • | • |
| | orange opaque | | • |
| | green opaque | • | • |
| | black opaque | • | • |
| | beige opaque | | • |
| | purple opaque | | • |
| | pink opaque | | • |
| | neon yellow opaque | | • |
| | neon green opaque | | • |
| | neon pink opaque | | • |
| | neon orange opaque | | • |
| | turquoise metallic | | • |
| | silver metallic | | • |
| | blue metallic | | • |
| | red metallic | | • |
| | magenta metallic | | • |
| | black metallic | | • |
| | champagne metallic | | • |
| | silver transparent metallic | | • |
| | smoky grey metallic | | • |

*Accessories see pp. 56–58 and attenuation values see pp. 46–47*

## DLO® Shotkiller Pro / DLO® Shotkiller Stop

**Customized hearing protection for impulse sounds and continous noise**

Loud shots and detonations – impulse noise puts extreme strain on your hearing. DLO® Shotkiller Pro earmolds offer precisely tailored protection and comfort. Whether for shooting practice, hunting, or in pyrotechnic environments: Dreve personalized hearing protection solutions attenuate dangerous noise peaks – reliably and certified as PPE. The DLO® Shotkiller Stop provides extremely high attenuation, ideal for people exposed to intense noise or with noise sensitivity, and is also certified as PPE.



| | |
|---|---|
| Material | **Silicone** |
| Available styles | 31 / Canal style with handle<br>32 / Canal style |
| Available attenuation elements | Epro-ER Bang<br>Epro-ER Stop |

| Colors | Description | Biopor® AB 60 Shore A |
|---|---|---|
| | **Standard colors** | |
| | clear transparent | • |
| | reddish transparent | • |
| | **Special colors** | |
| | blue transparent | • |
| | light brown transparent | • |
| | medium brown transparent | • |
| | red opaque | • |
| | blue opaque | • |
| | yellow opaque | • |
| | white opaque | • |
| | orange opaque | • |
| | green opaque | • |
| | black opaque | • |
| | beige opaque | • |
| | purple opaque | • |
| | fuchsia magenta opaque | • |
| | azure blue opaque | • |

*Accessories see pp. 56–58 and attenuation values see pp. 46–47*

## DLO® Active

**Active hearing protection for hunters and sport shooters**

With DLO® Active, we combine earmold expertise with the most innovative technology to create active hearing protection that can do more: Impulse noise is reliably insulated, while important ambient noise remains clearly audible and, depending on the mode, is even amplified. An individual system that fits perfectly, offers maximum comfort and protects where it counts!

- **ProFlex DX1** – Lightweight, discreet, and custom-molded for optimal comfort. Features a specially optimized mode for shooting.
- **ProFlex DX3** – Three digitally tuned modes (Hunting, Clay Shooting, Tactical) and an auto-memory function for seamless use.
- **ProFlex DX5** – Five digital modes including Range and wireless communication. Includes a dedicated mute function – maximum control in any scenario.

| | |
|---|---|
| Material | **Silicone** |
| Attenuation styles | 21MOD / Concha style |
| Attenuation module | DX1, DX3, DX5 |

| Colors | Description | Biopor® AB 40 / 60 Shore A* |
|---|---|---|
| | Standard colors | |
| | black opaque | • |
| | white opaque | • |
| | green opaque | • |

** Ear canal tip made of Biopor AB 40 Shore A, colorless-transparent; concha made of Biopor AB 60 Shore A, available in 3 different colors.*

## Technology that protects. Selection that fits.

Available in three model variants, CENS ProFlex modules offer tailored feature sets — from all-rounders to specialized applications — always with a focus on maximum safety, optimal sound perception, and first-class wearing comfort.

DX1

Sterling Silver | 1 Mode

DX3

Sterling Silver | 3 Modes

DX5

Sterling Silver | 5 Modes

| Overview DLO® Active models | DX1 | DX3 | DX5 |
|---|---|---|---|
| Active hearing protection with digital signal processing | ✓ | ✓ | ✓ |
| Water repellent WaterShield® coating | ✓ | ✓ | ✓ |
| Dedicated Power Button | ✓ | ✓ | ✓ |
| PPE (CAT III) CE2777 (EU)2016/425 \| EN352 | **25 dB SNR** | **25 dB SNR** | **25 dB SNR** |
| ANSI S3.19-1974 | **26 dB NNR** | **26 db NNR** | **26 db NNR** |
| IPIL impulse noise protection @150 dB (ANSI S12.42-2010) | **44 dB** | **44 dB** | **44 dB** |
| Including accessories (spare battery, etc.) and transport case | ✓ | ✓ | ✓ |
| Low battery warning | ✓ | ✓ | ✓ |
| HD sound enhancement of ambient noise | | ✓ | ✓ |
| Different hearing modes | | **3 Modes** | **5 Modes** |
| Multi-Switch control | | ✓ | ✓ |
| Mute function for complete concentration | | ✓ | ✓ |
| Vocal feedback & Auto-Save (volume, mode) | | ✓ | ✓ |
| Wind noise reduction | | | ✓ |

*Accessories see pp. 56–58 and attenuation values see pp. 46–47*

# DLO® Attenuation values

## DLO® Industry

**Attenuation values DLO® silicone, DI filter**




Red SNR: 27, H: 27, M: 25, L: 24 [1]
Yellow SNR: 24, H: 26, M: 21, L: 18

**Attenuation values DLO® acrylic, DI filter**




Red SNR: 31, H: 32, M: 28, L: 25
Yellow SNR: 26, H: 27, M: 24, L: 19

## DLO® Industry detektierbar

**Attenuation values DLO® silicone, DI-Filter detectable**




Red SNR: 27, H: 27, M: 25, L: 24

## DLO® SkyComfort

**Attenuation values DLO® SkyComfort, SANOHRA® Fly filter**




Blue SNR: 29, H: 29, M: 26, L: 26 [1]

## DLO® Music

**Attenuation values DLO® silicone, DM filter**




Black SNR: 23, H: 21, M: 23, L: 24
White SNR 18, H: 16, M: 18, L: 19
Blue SNR: 16, H: 15, M: 15, L: 14
Green* SNR: 12, H: 12, M: 9, L: 8

**Attenuation values DLO® acrylic, DM filter**




Black SNR: 24, H: 22, M: 24, L: 24
White SNR 19, H: 18, M: 20, L: 20
Blue SNR: 18, H: 19, M: 15, L: 13
Green* SNR: 12, H: 12, M: 9, L: 8

## DLO® MotorBike

**Attenuation values DLO® silicone, DM filter**




White SNR 18, H: 16, M: 18, L: 19

**Attenuation values DLO® acrylic, DM filter**




White SNR 19, H: 18, M: 20, L: 20

## DLO® Shotkiller Stop

**Attenuation values DLO® silicone, Epro-ER Stop**




Green SNR 32.9, H: 33, M: 31.7, L: 30.2

## DLO® Shotkiller Pro

**Attenuation values DLO® silicone, Epro-ER Bang**




Green SNR 21.8, H: 25.4, M: 19.1, L: 14.5

*** Frequency-dependent attenuation at different impulse levels**

## DLO® Active

**Attenuation values DLO® silicone, DX1, DX3, DX5**




Green SNR 25, H: 27, M: 21, L: 20 [1]

## DCO® OtoSwim®

**Customized water protection**

When swimming, showering or having a bath, water could get easily into the auditory canal and might lead to infections. Therefore it is important to protect sensitive ears. OtoSwim® is the reliable Dreve protection for ears made of Biopor® AB. Your customers will definitively have more fun in the water. OtoSwim® can be ordered in two materials: the buoyant Biopor® AB in fluorescent, high-visibility signal colors, or the classic Biopor® AB.

| | |
|---|---|
| Material | **Silicone** |
| Available style | 19 / Concha style with handle |

floatable

| Colors | Description | Biopor® AB 40 Shore A | Biopor® AB fluoreszent 40 Shore A |
|---|---|---|---|
| | **Standard colors** | | |
| | clear transparent | • | |
| | reddish transparent | • | |
| | **Special colors** | | |
| | red transparent | • | |
| | blue transparent | • | |
| | emerald green transparent | • | |
| | purple transparent | • | |
| | pink transparent | • | |
| | light brown transparent | • | |
| | medium brown transparent | • | |
| | dark brown transparent | • | |
| | red opaque | • | |
| | blue opaque | • | |
| | yellow opaque | • | |
| | white opaque | • | |
| | orange opaque | • | |
| | green opaque | • | |
| | black opaque | • | |
| | beige opaque | • | |
| | purple opaque | • | |
| | pink opaque | • | |
| | neon yellow opaque | • | |
| | neon green opaque | • | |
| | neon pink opaque | • | |
| | neon orange opaque | • | |
| | turquoise metallic | • | |
| | silver metallic | • | |
| | blue metallic | • | |
| | red metallic | • | |
| | magenta metallic | • | |
| | black metallic | • | |
| | smoky grey metallic | • | |
| | champagne metallic | • | |
| | silver transparent metallic | • | |
| | yellow fluorescent | | • |
| | green fluorescent | | • |
| | blue fluorescent | | • |
| | pink fluorescent | | • |
| | red fluorescent | | • |

*Accessories see pp. 56–58*

## DCO® OtoSwim® Sport

**Custom Watersports Earmold with Membrane Filter**

OtoSwim® Sport combines proven splash water protection for the ears with an innovative membrane filter. The filter enhances speech intelligibility during water sports activities while maintaining protection and comfort.

OtoSwim® Sport is available in two material options: buoyant Biopor® AB in vibrant signal colors or classic Biopor® AB.

| | |
|---|---|
| Material | **Silicone** |
| Available style | 19 / Concha style with handle |
| Available filter | DR5 filter blue |

| Colors | Description | Biopor® AB 40 Shore A | Biopor® AB fluoreszent 40 Shore A |
|---|---|---|---|
| | **Standard colors** | | |
| | clear transparent | • | |
| | reddish transparent | • | |
| | **Special colors** | | |
| | red transparent | • | |
| | blue transparent | • | |
| | emerald green transparent | • | |
| | purple transparent | • | |
| | pink transparent | • | |
| | light brown transparent | • | |
| | medium brown transparent | • | |
| | dark brown transparent | • | |
| | red opaque | • | |
| | blue opaque | • | |
| | yellow opaque | • | |
| | white opaque | • | |
| | orange opaque | • | |
| | green opaque | • | |
| | black opaque | • | |
| | beige opaque | • | |
| | purple opaque | • | |
| | pink opaque | • | |
| | neon yellow opaque | • | |
| | neon green opaque | • | |
| | neon pink opaque | • | |
| | neon orange opaque | • | |
| | turquoise metallic | • | |
| | silver metallic | • | |
| | blue metallic | • | |
| | red metallic | • | |
| | magenta metallic | • | |
| | black metallic | • | |
| | smoky grey metallic | • | |
| | champagne metallic | • | |
| | silver transparent metallic | • | |
| | yellow fluorescent | | • |
| | green fluorescent | | • |
| | blue fluorescent | | • |
| | pink fluorescent | | • |
| | red fluorescent | | • |

floatable

*Accessories see pp. 56–58*

## DCO® ComfortNight

**Customized earmolds for a silent and relaxing sleep**

For many people a healthy and restful sleep is only wishful thinking. There are various reasons for interruptions and noise is playing a major role.

**A dream...**

With our customized ComfortNight earmolds your customers can have a peaceful sleep again and start the next day perfectly relaxed.
**Attenuation characteristics:** Ambient noise is attenuated, but warning signals can be heard.

| | |
|---|---|
| Material | **Silicone** |
| Available styles | 16 / Canal style, compact (only in 25 Shore A)<br>18 / Canal style, caved (only in 40/60 Shore A) |



| | |
|---|---|
| Material | **Silicone** |
| Available styles | 19CN / Concha style with handle, compact (only in 25/40 Shore A)<br>25 / Concha style without handle, compact, caved (only in 25/40 Shore A) |

| Colors | Description | Biopor® AB 25 Shore A | Biopor® AB 40 Shore A | Biopor® AB 60 Shore A |
|---|---|---|---|---|
| | **Standard colors** | | | |
| | clear transparent | • | • | • |
| | reddish transparent | • | • | • |
| | **Special colors** | | | |
| | red transparent | • | • | |
| | blue transparent | • | • | • |
| | yellow transparent | • | | |
| | green transparent | • | | |
| | emerald green transparent | | • | |
| | purple transparent | | • | |
| | pink transparent | | • | |
| | light brown transparent | | • | • |
| | medium brown transparent | | • | • |
| | dark brown transparent | | • | |
| | red opaque | • | • | • |
| | blue opaque | • | • | • |
| | yellow opaque | • | • | • |
| | white opaque | • | • | • |
| | orange opaque | • | • | • |
| | green opaque | | • | • |
| | black opaque | | • | • |
| | beige opaque | | • | • |
| | purple opaque | | • | • |
| | pink opaque | | • | |
| | neon yellow opaque | | • | |
| | neon green opaque | | • | |
| | neon pink opaque | | • | |
| | neon orange opaque | | • | |
| | fuchsia magenta opaque | | | • |
| | azure blue opaque | | | • |
| | turquoise metallic | | • | |
| | silver metallic | | • | |
| | blue metallic | | • | |
| | red metallic | | • | |
| | magenta metallic | | • | |
| | black metallic | | • | |
| | champagne metallic | | • | |
| | silver transparent metallic | | • | |
| | smoky grey metallic | | • | |

*Accessories see pp. 56–58*

## DCO® SoundStyle earmolds

**for more than 300 different headphone systems**

Transform customers' standard headphones into something special! With the individual earmolds, the headphones fit securely and comfortably in the ear in all situations.

**Sounds simple – and it is simple**

Thanks to our large database of existing modeling data, the headphones do not have to be sent in with the impressions. For over 300 different headphone systems you can select the right earmolds at SmartOrder.

| | |
|---|---|
| Material | **Silicone** |
| Available styles | 12 / Concha style<br>13 / Canal style |

| Colors | Description | Biopor® AB 40 Shore A | Biopor® AB 60 Shore A |
|---|---|---|---|
| | **Standard colors** | | |
| | clear transparent | • | • |
| | reddish transparent | • | • |
| | **Special colors** | | |
| | red transparent | • | |
| | blue transparent | • | • |
| | emerald green transparent | • | |
| | purple transparent | • | |
| | pink transparent | • | |
| | light brown transparent | • | • |
| | medium brown transparent | • | • |
| | dark brown transparent | • | |
| | red opaque | • | • |
| | blue opaque | • | • |
| | yellow opaque | • | • |
| | white opaque | • | • |
| | orange opaque | • | • |
| | green opaque | • | • |
| | black opaque | • | • |
| | beige opaque | • | • |
| | purple opaque | • | • |
| | pink opaque | • | |
| | neon yellow opaque | • | |
| | neon green opaque | • | |
| | neon pink opaque | • | |
| | neon orange opaque | • | |
| | fuchsia magenta opaque | | • |
| | azure blue opaque | | • |
| | turquoise metallic | • | |
| | silver metallic | • | |
| | blue metallic | • | |
| | red metallic | • | |
| | magenta metallic | • | |
| | black metallic | • | |
| | champagne metallic | • | |
| | silver transparent metallic | • | |
| | smoky grey metallic | • | |

*Accessories see pp. 56–58*

# Extras | Finishing | Accessories

| | |
|---|---|
| Category | Surface |
| Description | **Standard lacquering** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro, DLO® Shotkiller Stop, DCO® OtoSwim®, DCO® OtoSwim® Sport, DCO® ComfortNight, DCO® SoundStyle |

| | |
|---|---|
| Category | Surface |
| Description | **Premium lacquering NanoScreen™ Lack*** |
| Available in | FotoTec® |
| Suitable for | DLO® Industry, DLO® Music, DLO® MotorBike |

| | |
|---|---|
| Category | Surface |
| Description | **Premium lacquering NanoScreen™ Soft Lack*** |
| Available in | Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro, DLO® Shotkiller Stop, DCO® OtoSwim®, DCO® OtoSwim® Sport, DCO® ComfortNight, DCO® SoundStyle |

| | |
|---|---|
| Category | Surface |
| Description | **Silk matt** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro, DLO® Shotkiller Stop, DLO® Active, DCO® OtoSwim®, DCO® OtoSwim® Sport, DCO® ComfortNight, DCO® SoundStyle |

| | |
|---|---|
| Category | Features & Options |
| Description | **Right-left marking** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro, DLO® Shotkiller Stop, DCO® OtoSwim®, DCO® OtoSwim® Sport, DCO® ComfortNight, DCO® SoundStyle |

| | |
|---|---|
| Category | Features & Options |
| Description | **Individual engraving** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro, DLO® Shotkiller Stop, DLO® Active, DCO® OtoSwim®, DCO® OtoSwim® Sport, DCO® ComfortNight, DCO® SoundStyle |



**Only for silicone earmolds*

| Category | Features & Options |
|---|---|
| Description | **Metal ball** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music |

| Category | Features & Options |
|---|---|
| Description | **Cord (black)** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro, DLO® Shotkiller Stop |

| Category | Features & Options |
|---|---|
| Description | **Cord detectable (deep blue)** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music |

| Category | Features & Options |
|---|---|
| Description | **Clip** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® Shotkiller Pro, DLO® Shotkiller Stop |

| Category | Features & Options |
|---|---|
| Description | **Pop-Up cord, transparent*** |
| Available in | Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike |

| Category | Features & Options |
|---|---|
| Description | **Handle** |
| Available in | Biopor® AB |
| Suitable for | DCO® ComfortNight |

**Only for silicone earmolds*

| | |
|---|---|
| Category | Features & Options |
| Description | **Removal tool** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | DLO® Industry, DLO® Music, DLO® MotorBike, DCO® OtoSwim® Sport |

| | |
|---|---|
| Category | Features & Options |
| Description | **Spiral tubing** |
| Available in | FotoTec® / Biopor® AB |
| Suitable for | Security Headset |

## Acoustic Leakage Tester

Hearing protection check made easy: The Acoustic Leakage Tester consists of an acoustic sensor unit, a calibration unit, and a coupling piece. In addition, an IOS device is required and the app can be downloaded from the store.

Individual DLO® earmolds are tested quickly and easily with this test system. With just one touch of a button, you get the results for acoustic measurement of the tightness.

- Acoustic leakage test for DLO® hearing protection earmolds with DM and DI filters
- Simple one-touch measurement
- Easy calibration for precise results
- Digital recording of results on SmartOrder

| | |
|---|---|
| Description | **Leakage Tester ALT kit without iPod** |
| Contents | Acoustic sensor unit, calibration unit, coupling piece |

*An Apple ID is required. Download from the Apple App Store.*

Sound Technology by DYNAMIC EAR COMPANY

## Protection safely packaged

The black hardcase with silver Dreve logo and red metal carabiner is used uniformly for all earmolds from the Protection & Comfort line. The only exception is our water protection OtoSwim® and OtoSwim® Sport, which is sold in a red waterproof swimbox.

- High-quality protection: sturdy and robust like a glasses case
- Fits in your pocket
- Black hardcase: with inner pocket
- Red hardcase: waterproof

| | |
|---|---|
| Description | **Hardcase Protection & Comfort** |
| Available in | black with Dreve logo and practical carabiner |
| Suitable for | Earmolds from the Protection & Comfort line |

| | |
|---|---|
| Description | **Hardcase OtoSwim®** |
| Available in | red, waterproof |
| Suitable for | DCO® OtoSwim®, DCO® OtoSwim® Sport |

## Marketing tools: Talk to us, we will be happy to advise you!

We will be happy to provide you with support and presentation materials:

- Flyers & brochures
- Photo and video material
- Samples, presentation boxes and displays*
- Demonstration ears*
- Color chains*
- Individually manufactured earmolds for customer demonstrations*

**Touch & Feel: Samples are an important sales support tool!**

*Dreve Product Videos – which could also be shown in your store!*
*www.youtube.com/DreveOtoplastikGmbH*

---

| | |
|---|---|
| Description | **Presentation box with earmolds** |
| Available in | silver, with Dreve logo |
| Suitable for | Ideal as a sample to touch for your customers |

---

| | |
|---|---|
| Description | **Display "RIC unifit"** |
| Available in | black, with 6 earmolds |
| Suitable for | Decorative element, ideal also as a sample to touch for your customers |

---

| | |
|---|---|
| Description | **Display "earmold"** |
| Available in | black, with 6 earmolds |
| Suitable for | Decorative element, ideal also as a sample to touch for your customers |

---

*Illustration sample*

| | |
|---|---|
| Description | **Flyer "Protection & Comfort"** |
| Available in | DLO® Industry, DLO® Music, DLO® SkyComfort, DLO® MotorBike, DLO® Shotkiller Pro/Stop, DCO® OtoSwim®, DCO® OtoSwim® Sport, DCO® ComfortNight, DCO® SoundStyle |
| Suitable for | Customer information, advertising |

**Subject to charge. Prices on request.*

20251006–DU20251006–2060EN

## Our earmold experts are there for you

### General Administration & Appointment Requests

+49 2303 8807 828
Mo–Fr 8:00 am–4:00 pm
otoplastikservice@dreve.de

### Support Earmold Lab

+49 2303 8807 838
Mo–Fr 8:00 am–4:00 pm
otoplastikservice@dreve.de

! Our medical devices are registered in many countries.
Please contact us for further information.

**Dreve Otoplastik GmbH**
Max-Planck-Straße 31 • 59423 Unna/Germany
Phone +49 2303 8807-0 • Fax +49 2303 82909
otoplastik@dreve.de • www.dreve.com